



From ancient times,
the Japanese have used water
to reset one's mind.
Refreshing the soul with sublimely
pristine water, indulging in the
peaceful relaxation of bathing,
Japanese people wash away their
hesitations and regain the strength
to charge on.
It is a part of everyday life,
the time and ritual to feel reborn.

INAX transforms the bathroom
experience by creating beautiful,
innovative products
delivering Japan's rituals of water
that make everyday life easier,
healthier, and more enjoyable,
enabling everyone to live well.

A woman with dark hair is shown from the back, relaxing in a hot spring. She is leaning her arms on the edge of the tub, looking out at a misty landscape with Mount Fuji in the distance. The scene is bathed in a soft, warm light, suggesting a peaceful and rejuvenating experience.


THE RITUALS OF WATER TRANSFORM EVERYDAY LIFE

THE JAPANESE BEAUTY OF LIGHT AND SHADOW



The Japanese have traditionally sought beauty by embracing natural light and its seasonal changes within the architecture. From the sunlight and the dim glow of the

moon emerge a myriad of different shades of darkness, creating spaces of unparalleled beauty through the interplay of light and shadows.



WITHIN THE ARCHITECTURE

With eaves limiting the sunlight, the faint light that penetrates through creates alluring shadows in traditional Japanese architecture. Developing an appreciation of the special effect the use of light can bring about, the Japanese started to design spaces in totality by controlling the shades and shadows.

REFLECTION ON CERAMICS

Crafted with the harmony of light and shadows in mind, Japanese ceramics bring out the allure of their surroundings. The gentle surface glow and changes in the shadows with the shift of light stimulate the imagination, bringing about a quiet sensation in the mind of the beholder.

FUSION WITH WATER

Since ancient times, the Japanese have used water to purify themselves physically and spiritually. With sunshine twinkling on its surface and shadows swaying with its flow, the fusion of light and shadows with water stimulates people's souls with the natural effect of water.

JAPANESE SPATIAL AESTHETICS:
TRANSFORMING BATHROOMS
AROUND THE WORLD

How would adopting the concept of light and shadows change the bathroom? The Japanese brand INAX has taken on the challenge of creating such an evolutionary environment.

The "bathroom of light" refreshes one's mind as though the brightness washes away their troubles. The light falling on tiles and products forms a gradation of shadows with a rhythmical effect, filling the entire space with delicate illumination while emphasizing the brilliance of the sun.


Bathrooms are no longer spaces of limited importance where people spend minimum time. They are taking center stage, offering cleanliness and comfort, transforming everyday life.



TABLE OF CONTENTS

INAX AWARDS	09	TOUCHLESS FAUCET	76
INAX HISTORY	10	SHOWER SYSTEM	78
S600 LINE	14	THERMOSTATIC SHOWER SYSTEMS	81
S400 LINE	18	CONCEALED SHOWER SYSTEMS	85
SHOWER TOILET	22	BATH MIXER	86
TECHNOLOGY	22	BATHTUB SHOWER	87
SATIS G, SATIS S	24	FAUCET SERIES	88
INAX BIDET	26	3-HOLE FAUCET	100
TECHNOLOGY	26	COLD WATER FAUCET	101
ELECTRONIC BIDET	28	KITCHEN FAUCET	103
MANUAL BIDET	33	ACCESSORIES FOR BASIN AND TOILET	106
INAX TOILET	36	DIFFERENTIATING REAL AND COUNTERFEIT PRODUCTS	107
TECHNOLOGY	36	BATHTUB	108
AQUA CERAMIC TECHNOLOGY	38	PUBLIC TOILETS	112
RIMLESS	40	URINAL	113
ECO-X	42	URINAL ACCESSORIES	115
ONE-PIECE TOILET	44	PRODUCTS FOR PUBLIC TOILETS	116
CLOSE COUPLED TOILET	50	BATHROOM ACCESSORIES	116
BASIN CABINET	54	TABLES OF COMBINATION	123
CERAFINE™ VESSEL BASIN	56	TECHNICAL DRAWINGS	128
VESSEL BASIN	58		
SEMI-RECESSED BASIN	61		
UNDERCOUNTER BASIN	64		
WALL HUNG BASIN	65		
SHOWER	68		
THERMOSTAT TECHNOLOGY	70		
LINE SENSOR TECHNOLOGY	72		
AUTOMAGE TECHNOLOGY	72		
ECO HANDLE TECHNOLOGY	73		
360° TECHNOLOGY	73		
CLICK TECHNOLOGY	73		
ECOFUL SHOWER TECHNOLOGY	73		
AQUA POWER TECHNOLOGY	74		


INAX AWARDS



1910>



1918
Appointment of Hatsunojo and Chozaburo Ina as technical advisors to produce the tiles for the Imperial Hotel, designed by Frank Lloyd Wright.



1924
Establishment of Ina Seito Co., Ltd. (Managing Director: Chozaburo Ina) Production of ceramic tiles, pottery pipes and terracotta.



1945
Start of sanitaryware production.



1967
Launch of Japan's first shower toilet with warm water shower spray and dryer function – Sanitarina 61.



1976
Launch of INAX's first shower toilet seat – Sanitarina F1.

1980>



1985
Change of company name to INAX Corporation.



1990
Launch of world's first self-powered automatic faucet Automage.



1994
Launch of toilet with KILAMIC –antimicrobial technology which is highly resistant to scratches and stains.



1998
Launch of ECOCARAT functional interior ceramics that control humidity and odor. Winner of Good Design Long Life Award



1999
Launch of toilet with PROGUARD technology for maximum protection against hard water stains and spots.

2000>



2001
Launch of world's most compact tankless shower toilet SATIS. Winner of Good Design Gold Award.



2005
Launch of touchless faucet that supplies water by sensor technology.



2006
Development of the "push button" intelligent control shower system for prefabricated bath.



2007
Japan's antibacterial measurement standard certified to ISO standard.

2010>




2016
Launch of new SATIS series. Winner of Red Dot Design Award (SATIS G)



2016
AQUA CERAMIC –the most advanced hygiene technology. Winner of Good Design Gold Award.



2017
Marked the 50th anniversary of the first made-in-Japan shower toilet launched in 1967.



2019
Launch of the new INAX brand identity "Rituals of Water" at Milan Design Week.

PRODUCTS BY INAX

S600 LINE

In Japan, skillfully utilizing limited space and creating a beautiful world within has become a coveted art.

The S600 LINE by INAX presents the ultimate combination of traditional Japanese design with modern sensibilities and innovation.



S600 LINE



ONE-PIECE TOILET
AC-1052VN

NEW

- AQUA CERAMIC to prevent stains and dirt buildup
- Rimless design
- Powerful vortex flush with water-saving dual flushing system of (4.5L / 3.0L)

W 360 / D 739 / H 658 mm



WALL HUNG TOILET
AC-952VN

NEW

- AQUA CERAMIC to prevent stains and dirt buildup
- Rimless design
- Powerful vortex flush with water-saving dual flushing system of (4.5L / 3.0L)

W 362 / D 550 / H 363 mm



SHOWER TOILET (SATSU G)
AC-G216VN/BW1

NEW

AC-G216VN/BKG

- AQUA CERAMIC to prevent stains and dirt buildup
- Anti-splash foam cushion
- Built-in electronic pump to generate a powerful flush, even when water pressure is low
- Deodorization of airflow to reduce and prevent odor
- Plasmacluster® to disinfect the entire surface of the toilet bowl
- Night light
- Automatic open / close

W 375 / D 705 / H 540 mm



SHOWER TOILET SEAT (PASSO)
CW-EA24

NEW

Coming soon

- Deodorization of airflow to reduce and prevent odor
- Plasmacluster® to disinfect the entire surface of the toilet bowl
- Auto cleansing the nozzle with silver ion water before and after use, preventing bacteria growth
- Night light
- Automatic open / close

W 413 / D 541 / H 104 mm



VESSEL BASIN
AL-652V (GC/EC/FC)

NEW

- AQUA CERAMIC to prevent stains and dirt buildup

W 650 / D 460 / H 191mm



FAUCET
LFV-652S

NEW

- Designed with smooth handling for effortless precision and ease of use
- Holed lever for easy handling
- Eco Care with aerator for water saving

W 52 / D 166 / H 155 mm



BASIN MIXER (EXTENDED TYPE)
LFV-652SH

NEW

- Designed with smooth handling for effortless precision and ease of use
- Holed lever for easy handling
- Eco Care with aerator for water saving

W 52 / D 200 / H 273 mm



BATHTUB
BF-1760V

NEW

- Simple design with a sophisticated seamless curve brings a luxurious presence
- Organic and comfortable curve inside and outside the bathtub
- Anti-slip bottom surface

W 1700 / D 900 / H 550 mm



INTELLIGENT CONTROL
SHOWER SYSTEM
BFV-655T

NEW

- Push button with a dial allows ease of control and precision for water and energy saving
- Shower faucet designed with rimmed-edge tray for shower essentials. Includes a back slit to prevent water pooling.
- Large showerhead with luxurious cascading spray patterns for relaxing shower experience

W 450 / D 575 / H 1176 mm



FREESTANDING BATH &
SHOWER MIXER
BFV-656S

NEW

- Simple but sophisticated design for luxurious presence
- Top of faucet can be used as a tray for bath essentials
- Water saving hand shower

W 273 / D 395 / H 860 mm





S400 LINE

Inspired by Japanese water rituals and the interplay of light and shadows, the S400 LINE bathroom collection with carefully designed use of light, architecture and décor, creates a serene atmosphere for one to recharge and spend a moment of reflection.

S400 LINE



ONE-PIECE TOILET
AC-1032VN

NEW

- AQUA CERAMIC to prevent stains and dirt buildup
- Sleek and simple design with skirted base for ease of cleaning
- Double vortex flush with water-saving dual flushing system of 5.0L / 3.5L
- Soft close seat and seat cover

W 372 / D 809 / H 605 mm



ONE-PIECE TOILET +
ELECTRONIC BIDET
AC-1032+CW-KA22AVN

NEW

- AQUA CERAMIC to prevent stains and dirt buildup
- Electronic bidet with auto spray (front/rear wash)

W 372 / D 809 / H 605 mm



MANUAL BIDET
CW-S32VN

NEW

- Brand new slim design
- Antimicrobial material
- Dual nozzles (front/rear) for hygienic cleansing
- Easy installation
- Rear inlet for water supply to eliminate complex piping setup

W 372 / D 530 / H 63 mm



CLOSE COUPLED TOILET
AC-832VN

NEW

- AQUA CERAMIC protection against stains
- Rimless design for ease of cleaning
- Powerful vortex flush with water-saving dual flushing system of 4.5L / 3.0L

W 376 / D 746 / H 752 mm



VESSEL BASIN
AL-632V (GC/EC/FC)

NEW

- AQUA CERAMIC to prevent stains and dirt buildup

W 575 / D 429 / H 155 mm



EXPOSED SHOWER SYSTEM
BFV-635S

NEW

- Top of faucet can be used as a tray for shower essentials
- A design with simple and robust swivel shower head
- Large overhead shower for full body coverage
- Hand shower with pressure booster can be used in low water pressure conditions
- Soft hose for smooth water flow and easy cleaning

W 326 / D 542 / H 1245 mm



BASIN MIXER
LFV-632S

NEW

- Designed with smooth handling for effortless precision and ease of use
- Eco Care with aerator for water savings

W 44 / D 145 / H 154 mm

Price excludes the exhaust pipe



SHOWER TOILET

HYGIENE & COMFORT



PLASMACLUSTER

The patented Plasmacluster® Technology by Sharp generates negative ions and releases them into the bowl to effectively disinfect the air and reduce airborne bacteria and mold. The automatic release of ions completely sanitizes all parts of the toilet bowl, lid and seat to ensure peace of mind and comfort.



AIR SHIELD DEODORIZER

This innovative technology generates a curtain of air within the toilet bowl to create a powerful deodorizing effect when in use. Circulating air shields odor from escaping the toilet, keeping the bathroom fresh and pleasant.



AUTO FLUSH

The toilet automatically flushes after use for touchless and hygienic experience



AUTO OPEN AND CLOSE BIDET

Hands free convenience with an automated toilet seat that opens when user approaches and closes when user leaves



HEATED SEAT

Heated seat for added comfort and warmth



WARM AIR DRYING

Warm air emission for gentle and comfortable drying experience



REMOTE CONTROL

Intuitive remote control of toilet functions for added convenience



ANTIBACTERIAL FUNCTION

Ag+ ions prevent bacteria growth, meeting the ISO 22196 SIAA for antibacterial efficacy (seat only)

CONVENIENCE & ENERGY-SAVING



RELAXING MUSIC

Auto play of music when in use for a sense of relaxation



AUTOMATIC NIGHT LIGHT

A soft night light that is gentle on vision, yet bright enough for use in low light conditions



SOFT CLOSING

Soft closing to prevent unwanted loud noises or cracks upon closure



WATER SAVING

Technology to optimize water consumption during a single flush.



POWER SAVING

Advanced technology for energy efficiency and cost savings



NEW

AC-G216VN/BW1

AC-G216VN/BKG

- AQUA CERAMIC to prevent stains and dirt buildup
- Anti-splash foam cushion
- Built-in electronic pump to generate a powerful flush, even when water pressure is low
- Deodorization of airflow to reduce and prevent odor
- Plasmacluster® to disinfect the entire surface of the toilet bowl
- Night light
- Automatic open / close

W 375 / D 705 / H 540 mm



Made in Japan

AC-618VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Triple Vortex flush
- Deodorization of airflow to reduce and prevent odor
- Plasmacluster® to disinfect the entire surface of the toilet bowl
- Night light
- Automatic open / close

W 365 / D 635 / H 524 mm

• Feed water pressure: 0.1-0.75MPa



Made in Japan

INAX BIDET



AUTO SPRAYING AND CLEANSING

Auto spraying and cleansing function



DUAL NOZZLE

Dedicated nozzles for posterior cleansing and feminine wash



OSCILLATING NOZZLE

The nozzle oscillates when in use for a wider cleansing area



FEMININE CLEANSING

Dedicated spray for gentle cleansing of feminine area



POSTERIOR CLEANSING

Dedicated spray for a thorough rear cleanse



MASSAGE SPRAYING AND CLEANSING

Allowing alternation between light and powerful spray - a massage effect which brings a pleasant feeling



SELF-CLEANING NOZZLE

The nozzles automatically washes before and after each use for increased levels of hygiene



NOZZLE SHUTTER

Stores and keeps nozzles clean when not in use. Nozzle shutter can be easily removed and cleaned



DETACHABLE NOZZLE TIP

The nozzle tip can be easily removed for cleaning or replacement



WARM AIR DRYER

Warm air emission for gentle and comfortable drying experience



HEATED SEAT

Heated seat for added comfort and warmth



DEODORIZATION

Deodorization of airflow to reduce and prevent odor



ANTIBACTERIAL FUNCTION

Ag+ ions prevent bacteria growth, meeting ISO 22196 SIAA for antibacterial efficacy (seat only)



DETACHABLE BIDET SEAT & COVER

Detachment and installation of the bidet is simple, quick, and convenient for toilet cleansing



SOFT CLOSING

Soft closing to prevent unwanted loud noises or cracks upon closure




ENERGY SAVING

Water and energy saving for cost efficiency



ELECTRONIC BIDET

CW-KA22AVN



- Dedicated spray for gentle cleansing of feminine area
- 6 water temperature levels
- Thermal switch with high temperature control sensor to automatically disconnect for safety reasons
- Remote control board
- Ultra-power savings
- 6 water temperature levels for the seat
- Bidet made of Ag⁺ antimicrobial material

TABLE FOR COMBINATION OF BIDETS CW-KA22AVN

Product number	Price	Product number	Price
AC-4005+CW-KA22AVN		AC-900R+CW-KA22AVN	
AC-2700+CW-KA22AVN		AC-991R+CW-KA22AVN	
AC-1052+CW-KA22AVN		AC-939+CW-KA22AVN	
AC-1135+CW-KA22AVN		AC-959A+CW-KA22AVN	
AC-1035+CW-KA22AVN		AC-952+CW-KA22AVN	
AC-1032+CW-KA22AVN		AC-22P+CW-KA22AVN	
AC-1008R+CW-KA22AVN		AC-23P+CW-KA22AVN	
AC-1017R+CW-KA22AVN		AC-832+CW-KA22AVN	
AC-909R+CW-KA22AVN		AC-700A+CW-KA22AVN	
AC-918R+CW-KA22AVN		AC-710A+CW-KA22AVN	

ELECTRONIC BIDET

CW-KB22AVN



- Dedicated spray for gentle cleansing of feminine area
- 6 water temperature levels
- Thermal switch with high temperature control sensor to automatically disconnect for safety reasons
- Built-in control board
- Ultra-power savings
- 6 water temperature levels for the seat
- Bidet made of Ag⁺ antimicrobial material

CW-H18VN



- Dedicated spray for gentle cleansing of feminine area
- 6 water temperature levels
- Thermal relay, temperature sensor, electric anti-leakage
- Built-in control board
- Ultra-power savings
- 6 water temperature levels for the seat
- Bidet made of Ag⁺ antimicrobial material


TABLE FOR COMBINATION OF BIDETS CW-KB22AVN

Product number	Price	Product number	Price
AC-4005+CW-KB22AVN		AC-900R+CW-KB22AVN	
AC-2700+CW-KB22AVN		AC-991R+CW-KB22AVN	
AC-1052+CW-KB22AVN		AC-939+CW-KB22AVN	
AC-1135+CW-KB22AVN		AC-959A+CW-KB22AVN	
AC-1035+CW-KB22AVN		AC-952+CW-KB22AVN	
AC-1032+CW-KB22AVN		AC-22P+CW-KB22AVN	
AC-1008R+CW-KB22AVN		AC-23P+CW-KB22AVN	
AC-1017R+CW-KB22AVN		AC-832+CW-KB22AVN	
AC-909R+CW-KB22AVN		AC-700A+CW-KB22AVN	
AC-918R+CW-KB22AVN		AC-710A+CW-KB22AVN	

TABLE FOR COMBINATION OF BIDETS CW-H18VN

Product number	Price	Product number	Price
AC-4005+CW-H18VN		AC-918R+CW-H18VN	
AC-2700+CW-H18VN		AC-900R+CW-H18VN	
AC-1052+CW-H18VN		AC-939+CW-H18VN	
AC-1135+CW-H18VN		AC-991R+CW-H18VN	
AC-1035+CW-H18VN		AC-832+CW-H18VN	
AC-1032+CW-H18VN		AC-959A+CW-H18VN	
AC-22P+CW-H18VN		AC-700A+CW-H18VN	
AC-1008R+CW-H18VN		AC-710A+CW-H18VN	
AC-1017R+CW-H18VN		AC-504A+CW-H18VN	
AC-23P+CW-H18VN		C-504A+CW-H18VN	
AC-909R+CW-H18VN		C-306A+CW-H18VN	

CW-H17VN



- Dedicated spray for gentle cleansing of feminine area
- 6 water temperature levels
- Thermal relay
- Built-in control board
- Ultra-power savings
- 6 water temperature levels for the seat
- Bidet made of Ag+ antimicrobial material

TABLE FOR COMBINATION OF BIDETS CW-H17VN

Product number	Price	Product number	Price
AC-4005+CW-H17VN		AC-918R+CW-H17VN	
AC-2700+CW-H17VN		AC-900R+CW-H17VN	
AC-1052+CW-H17VN		AC-991R+CW-H17VN	
AC-1035+CW-H17VN		AC-939+CW-H17VN	
AC-1135+CW-H17VN		AC-959A+CW-H17VN	
AC-1032+CW-H17VN		AC-832+CW-H17VN	
AC-22P+CW-H17VN		AC-700A+CW-H17VN	
AC-1008R+CW-H17VN		AC-710A+CW-H17VN	
AC-1017R+CW-H17VN		AC-504A+CW-H17VN	
AC-23P+CW-H17VN		C-504A+CW-H17VN	
AC-909R+CW-H17VN		C-306A+CW-H17VN	

MANUAL BIDET



CW-S32VN



- Brand new, compact and slim design
- Antimicrobial material
- Dual nozzles (front / rear)
- Easy installation
- Rear inlet for water supply to eliminate complex piping setup

TABLE FOR COMBINATION OF BIDETS CW-S32VN

Product number	Price	Product number	Price
AC-1052+CW-S32VN		AC-918+CW-S32VN	
AC-952+CW-S32VN		AC-900+CW-S32VN	
AC-22P+CW-S32VN		AC-991R+CW-S32VN	
AC-1032+CW-S32VN		AC-939+CW-S32VN	
AC-1008R+CW-S32VN		AC-832+CW-S32VN	
AC-1017R+CW-S32VN		AC-959+CW-S32VN	
AC-23P+CW-S32VN		AC-700+CW-S32VN	
AC-909+CW-S32VN		AC-710+CW-S32VN	



MANUAL BIDET

CW-S15VN



- Soft closing bidet
- Water supply method: Direct connection to tap water
- Water pressure: 0.07-0.75Mpa
- Weight: ~ 2.2kg

NUMBER OF HOLES: 3 HOLES
To adjust the water pressure for rear cleansing function.



NUMBER OF HOLES: 7 HOLES
To adjust the water pressure for feminine cleansing function.



TABLE FOR COMBINATION OF BIDETS CW-S15VN

Product number	Price	Product number	Price
AC-4005+CW-S15VN		AC-991R+CW-S15VN	
AC-2700+CW-S15VN		AC-939+CW-S15VN	
AC-1135+CW-S15VN		AC-959A+CW-S15VN	
AC-1035+CW-S15VN		AC-832+CW-S15VN	
AC-1052+CW-S15VN		AC-969A+CW-S15VN	
AC-952+CW-S15VN		AC-700A+CW-S15VN	
AC-1008R+CW-S15VN		AC-710A+CW-S15VN	
AC-1032+CW-S15VN		AC-504A+CW-S15VN	
AC-22P+CW-S15VN		C-504A+CW-S15VN	
AC-1017R+CW-S15VN		C-306PT+CW-S15VN	
AC-23P+CW-S15VN		C-306A+CW-S15VN	
AC-909R+CW-S15VN		C-108A+CW-S15VN	
AC-918R+CW-S15VN		C-117A+CW-S15VN	
AC-900R+CW-S15VN			

INAX TOILET TECHNOLOGY



AQUA CERAMIC

The revolutionary technology features super-hydrophilicity on the ceramic surface, preventing stains and lifting dirt from the surface with just the power of water



DETACHABLE BIDET

The bidet can be easily lifted and detached for cleaning



RIMLESS

A rimless design with no hidden corners for dirt or bacteria to accumulate



CLEAN RIM

Full discharge of water from the top for effective cleansing of dirt and stains in the bowl



TRIPLE VORTEX FLUSHING

Triple vortex flush harnesses the force of three powerful jet streams to efficiently flush the entire bowl surface



DOUBLE VORTEX FLUSHING ECO-X

Direct flush from two inlets for powerful and efficient cleansing of the entire bowl




VORTEX FLUSHING

Unique technique of INAX that delivers a forceful stream of water that flows in a spiral motion, cleaning the bowl thoroughly.



ECO 4.8

Water savings with only 4.8L for one full flush




INAX TOILET - JAPANESE TECHNOLOGY



100 YEARS OF CLEAN **AQUA CERAMIC**


The revolutionary AQUA CERAMIC technology features super-hydrophilicity on the ceramic surface, preventing lime scale and lifts stains from the surface with just the power of water for 100 years of clean and shine.

 GOOD DESIGN AWARD 2016
GOLD AWARD



EASY TO WASH OFF STAINS

The super-hydrophilicity allows water to easily penetrate beneath waste to lift off the surface.



ANTI-STAIN SURFACE

AQUA CERAMIC delivers the highest level of anti-stain performance and eases the burden of cleaning


AQUA CERAMIC TECHNOLOGY





RIMLESS TOILET

A rimless design with no hidden corners for dirt or bacteria to accumulate.



NEW DESIGN

Simple yet sleek design for a modern bathroom.

EASY TO CLEAN

No hard-to-reach corners and easy to clean with a gentle wipe

SUPERIOR FLUSHING

Direct and even water distribution for powerful flushing across the entire bowl



ECO-X TECHNOLOGY

DOUBLE FLUSHING SYSTEM
WITH SUPER VORTEX FLOW

100% AMOUNT OF DISCHARGE FROM THE
TOP TO WASH OFF ALL STAINS AND DIRT



ORDINARY TOILET

Designed with flushing holes
under the rim, dirt is accumulated
and formed into water stains on
the ceramic surface.



TOILET WITH ECO-X TECHNOLOGY

Rim is designed for easy cleaning
and prevents formation of stains.



ONE-PIECE TOILET

TOILET | ONE-PIECE TOILET



AC-4005VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L

W 518 / D 780 / H 623 mm

Recommended accompanying products:
AL-465V, AL-2396V, AL-2216V



AC-2700VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Clean Rim technology with powerful flushing
- Siphonic flush system 6.5L/4.5L

W 424 / D 810 / H 642 mm

Recommended accompanying products:
AL-300V, AL-2395V, AL-2216V



AC-1052VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Rimless design
- Powerful vortex flush with water-saving dual flushing system of (4.5L / 3.0L)

W 360 / D 739 / H 658 mm

Recommended accompanying products:
AL-652V

AC-1135VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.5L

W 475 / D 809 / H 615 mm

Recommended accompanying products:
AL-293V, AL-2397V, AL-2298V

AC-1035VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L/3.5L

W 475 / D 809 / H 615 mm

Recommended accompanying products:
AL-293V, AL-2397V, AL-2298V

ONE-PIECE TOILET

AC-1032VN

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L/3.5L

W 372 / D 809 / H 605 mm

• Recommended accompanying products:
AL-632V

AC-1008VRN



- AQUA CERAMIC to prevent stains and dirt buildup
- Clean Rim technology with powerful flushing
- Siphonic flush system 6.0L/4.5L

W 400 / D 805 / H 588 mm

• Recommended accompanying products:
AL-536V, AL-2094V, AL-2298V

AC-909VRN-1



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L/3.5L
- CF-3003VS bidet

W 400 / D 778 / H 655 mm

• Recommended accompanying products:
AL-296V, AL-333V, L-285V

AC-918VRN



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L
- CF-918VS bidet

W 400 / D 778 / H 655 mm

• Recommended accompanying products:
AL-296V, AL-333V, L-285V

AC-1017VRN



- AQUA CERAMIC to prevent stains and dirt buildup
- Clean Rim technology with powerful flushing
- Siphonic flush system 6.0L

W 400 / D 805 / H 588 mm

• Recommended accompanying products:
AL-536V, AL-2094V, AL-2298V

AC-909VRN



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L/3.5L
- CF-918VS bidet

W 400 / D 778 / H 655 mm

• Recommended accompanying products:
AL-536V, AL-2094V, AL-2298V

AC-918VRN-1



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 5.0L
- CF-3003VS bidet

W 400 / D 778 / H 655 mm

• Recommended accompanying products:
AL-296V, AL-333V, L-285V

AC-900VRN



- AQUA CERAMIC to prevent stains and dirt buildup
- Clean Rim technology with powerful flushing
- Siphonic flush system 6.5L/4.5L

W 380 / D 760 / H 636 mm

• Recommended accompanying products:
AL-294V, AL-2396V, L-288V

ONE-PIECE TOILET AC-969VN

A DREAM BATHROOM WITH
LUXURY TOILET
AT AN AFFORDABLE PRICE.



ONE-PIECE TOILET

AC-991VRN



- AQUA CERAMIC to prevent stains and dirt buildup
- Clean Rim technology with powerful flushing
- Siphonic flush system 6.5L

W 380/ D 760 / H 636 mm

Recommended accompanying products:
AL-294V, AL-2396V, L-288V

AC-939VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Eco-X technology for clean and water-efficient vortex flushing
- Siphonic flush system 6.0L/4.0L

W 393/ D 714 / H 655 mm

Recommended accompanying products:
AL-293V, AL-2397V, AL-2298V

AC-959VAN



- AQUA CERAMIC to prevent stains and dirt buildup
- Clean Rim technology with powerful flushing
- Siphonic flush system 6.5L/4.5L

W 380/ D 760 / H 636 mm

Recommended accompanying products:
AL-333V, AL-2216V, L-285V

AC-969VN

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- Vortex flushing technology for powerful flow
- Siphonic flush system (4.0L/6.0L)

W 394/ D 727 / H 653 mm

Recommended accompanying products:
AL-2398V, AL-2298V và L-298V



CLOSE COUPLED TOILET



AC-832VN

NEW



- AQUA CERAMIC protection against stains
- Rimless design for ease of cleaning
- Powerful vortex flush with water-saving dual flushing system of (4.5L / 3.0L)

W 376 / D 746 / H 752 mm

• Recommended accompanying products: AL-632V



AC-808VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Siphonic flush system 5.5L/3.0L

W 370 / D 740 / H 783 mm

• Recommended accompanying products: AL-296V, AL-2298V, L-297V



AC-838VN



- AQUA CERAMIC to prevent stains and dirt buildup
- Siphonic flush system 5.5L

W 370 / D 740 / H 783 mm

• Recommended accompanying products: AL-296V, AL-2298V, L-297V

AC-700VAN



- AQUA CERAMIC to prevent stains and dirt buildup
- Siphonic flush system 5.0L/3.0L

W 398 / D 739 / H 770 mm

• Recommended accompanying products: AL-445V, AL-2395V, L-285V



AC-710VAN



- AQUA CERAMIC to prevent stains and dirt buildup
- Siphonic flush system 5.0L

W 398 / D 739 / H 770 mm

• Recommended accompanying products: AL-293V, AL-2397V, AL-2298V

CLOSE COUPLED TOILET

C-504VAN



AC-504VAN



- AQUA CERAMIC to prevent stains and dirt buildup
 - Siphonic flush system 4.8L/3.0L
- W 390 / D 727 / H 756 mm

• Recommended accompanying products: AL-2397V, AL-2298V, L-298V

C-504VWN



AC-504VWN



- Siphonic flush system 4.8L/3.0L
- W 390 / D 727 / H 756 mm

• Recommended accompanying products: AL-2397V, AL-2298V, L-298V

Excluding water check valve

C-306VAN



C-306VA



- Vortex flush for efficient cleansing of dirt across the entire bowl
 - Siphonic flush system 4.8L/3.0L
- W 440 / D 744 / H 772 mm

• Recommended accompanying products: AL-2396V, AL-2293V, L-284V

Excluding water check valve

C-306VPTN



C-306VPT



- Vortex flush for efficient cleansing of dirt across the entire bowl
 - Straight flush system 6.0L/3.0L with horizontal outlet
- W 386 / D 774 / H 780 mm

• Recommended accompanying products: AL-2396V, AL-2293V, L-284V

P-trap CF-11SV flushing accessory kit not provided with the toilet. Excluding water check valve

P-trap CF-11SV flushing accessory kit, not provided with the toilet

C-108VAN



C-108VA



- Vortex flush for efficient cleansing of dirt across the entire bowl
 - Straight flush system 4.8L/3.0L, vertical exit
- W 370 / D 696 / H 770 mm

• Recommended accompanying products: L-285V, L-284V, L-280V

Excluding water check valve

C-117VAN



C-117VA



- Vortex flush for efficient cleansing of dirt across the entire bowl
 - Straight flush system, vertical exit
- W 370 / D 696 / H 770 mm

• Recommended accompanying products: L-285V, L-284V, L-280V

Excluding water check valve

WALL HUNG TOILET



AC-952VN

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- Rimless design
- Powerful vortex flush with water-saving dual flushing system of (4.5L / 3.0L)

W 362 / D 550 / H 363 mm

• Recommended accompanying products: AL-652V



AC-22PVN



- AQUA CERAMIC to prevent stains and dirt buildup
 - Straight flush system 8.0L with horizontal outlet
- W 360 / D 600 / H 320 mm

• Recommended accompanying products: AL-445V, AL-2395V, AL-2216V

Minimum water supply condition is 0.07Mpa, water supply pipe diameter is Ø32



AC-23PVN



- AQUA CERAMIC to prevent stains and dirt buildup
 - Straight flush system 6.5L/3.0L with horizontal outlet
- W 370 / D 740 / H 783 mm

• Recommended accompanying products: AL-445V, AL-2395V, AL-2216V

Water pressure: 0.07-0.76Mpa
Water supply pipe diameter Ø21

BASIN CABINET

The INAX basin cabinet is made of PVC materials which have been rigorously tested according to Japanese standards to ensure that the product is free from swelling, peeling, warping, worm eating, and has outstanding durability. Green materials are environmentally friendly and safe for users.



● CB1206-5QF-B

● CB1206-4IF-B

- The product kit includes:
- AL-445V vessel basin
- LFV-8000SH2 faucet
- Cabinet: Soft-close drawer
- KF-5075VA mirror
- A-603PV syphon



● CB0504-5QF-B

● CB0504-4IF-B

- The product kit includes:
- AL-293VFC vessel basin
- LFV-1112S faucet
- Cabinet: Soft door
- A-675PV syphon

CERAFINE™ VESSEL BASIN

Delicately designed with super-thin edges, the beautiful CERAFINE™ VESSEL BASIN embraces a refined look and feel, embodying a uniquely Japanese spirit and sensibilities.



Inspired by the traditional Japanese sake cup, the elegant shape of the CERAFINE™ VESSEL BASIN is accentuated by the shine of the glaze. Its exquisite design makes the CERAFINE™ VESSEL BASIN an attractive object in its own right.

Supporting the ultra-thin design is INAX's new clay, which maintains its strength and does not deform during firing. The CERAFINE™ VESSEL BASIN is also easy to clean and maintain, as it is made with AQUA CERAMIC technology that prevents dirt from attaching to the surface.



VESSEL BASIN



AL-S640V (GC/FC)

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- CERAFINE™ technology for super-thin edges

W 700 / D 500 / H 126 mm

• Recommended accompanying products: LFV-7000B



AL-S630V (GC/FC)

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- CERAFINETM technology for super-thin edges

W 700 / D 500 / H 124 mm

• Recommended accompanying products: LFV-5010S



AL-S620V

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- CERAFINETM technology for super-thin edges

W 560 / D 400 / H 100 mm

• Recommended accompanying products: LFV-502SH



AL-632V (GC/EC/FC)

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- Porcelain water stopper for an elegant presence

W 575 / D 429 / H 155 mm

• Recommended accompanying products: LFV-632V

The price excludes the porcelain push button 0014068-W-C



L-300V

AL-300V



- AQUA CERAMIC to prevent stains and dirt buildup

W 650 / D 380 / H 140 mm

• Recommended accompanying products: LFV-7100SH, LFV-112SH, LFV-502SH



L-465V

AL-465V



- AQUA CERAMIC to prevent stains and dirt buildup

W 650 / D 372 / H 185 mm

• Recommended accompanying products: LFV-7100SH, LFV-112SH, LFV-502SH

AL-S610V

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- CERAFINE™ technology for super-thin edges

W 560 / D 400 / H 100 mm

• Recommended accompanying products: LFV-5012SH

AL-652V (GC/EC/FC)

NEW



- AQUA CERAMIC to prevent stains and dirt buildup
- Porcelain stopper for an elegant presence

W 650 / D 460 / H 191mm

• Recommended accompanying products: LFV-652S

L-445V

AL-445V



- AQUA CERAMIC to prevent stains and dirt buildup

W 450 / D 450 / H 165 mm

• Recommended accompanying products: LFV-8000SH2, LFV-7100SH, LFV-2012SH



AL-536V (GC/EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 550 / D 500 / H 155mm

• Recommended accompanying products: LFV-5002S, LFV-5012S, LFV-212S, LFV-5010S, LFV-8100B, LFV-7100B

VESSEL BASIN

L-293V (EC/FC)



AL-293V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 500/ D 450 / H 155 mm

- Recommended accompanying products: L-FV-312S, L-FV-5012S, L-FV-1201S-1

L-296V (EC/FC)



AL-296V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 570/ D 450 / H 180 mm

- Recommended accompanying products: L-FV-312S, L-FV-5012S, L-FV-2012S

L-294V (EC/FC)



AL-294V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 472/ D 472 / H 170 mm

- Recommended accompanying products: L-FV-4102S, L-FV-212S, L-FV-202S

L-292V (EC/FC)



AL-292V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 469/ D 469 / H 162 mm

- Recommended accompanying products: L-FV-4102S, L-FV-212S, L-FV-202S

SEMI-RECESSED BASIN

L-333V



AL-333V



- AQUA CERAMIC to prevent stains and dirt buildup

W 440/ D 440 / H 185 mm

- Recommended accompanying products: L-FV-7102S, L-FV-1302S

TABLE TOP BASIN

L-2397V (EC/FC)



AL-2397V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 500/ D 450 / H 155 mm

- Recommended accompanying products: L-FV-5002S, L-FV-5012S, L-FV-2012S

L-2398V (EC/FC)



AL-2398V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 550/ D 450 / H 170 mm

- Recommended accompanying products: L-FV-112S, L-FV-112S, L-FV-2012S

L-2395V (EC/FC)



AL-2395V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 575/ D 454 / H 206 mm

- Recommended accompanying products: L-FV-5012S, L-FV-502S, L-FV-1112S

MATCHING INAX FAUCET AND BASIN

BRINGS COMFORT DURING USAGE



MISMATCHED FAUCET AND BASIN

- Poor aesthetics and many imperfections
- Uncomfortable usage space
- Easy to splash water when using



MATCHING FAUCET AND BASIN

- Ensuring aesthetics and perfection
- Optimizing usage space
- Minimizing water splash

UNDERCOUNTER BASIN



AL-2094V (EC/FC)



- AQUA CERAMIC to prevent stains and dirt buildup

W 580 / D 515 / H 210 mm

- Recommended accompanying products: LFV-1112S, LFV-1402S, LFV-2012S

Includes A-L2094V-1 basin bracket



L-2298V

AL-2298V



- AQUA CERAMIC to prevent stains and dirt buildup

W 550 / D 400 / H 190 mm

- Recommended accompanying products: LFV-282S, LFV-5010S, LFV-2012S

Excludes A-L2298V-1 basin bracket



L-2216V

AL-2216V



- AQUA CERAMIC to prevent stains and dirt buildup

W 550 / D 380 / H 175 mm

- Recommended accompanying products: LFV-13B, LFV-102S, AMV-50B

Excludes A-L2298V-1 basin bracket



L-2293V

AL-2293V



- AQUA CERAMIC to prevent stains and dirt buildup

W 535 / D 415 / H 210 mm

- Recommended accompanying products: LFV-6002S, LFV-4102S, LFV-1002S

Excludes A-L2293V-1 basin bracket

WALL HUNG BASIN



S-17V

W 575 / D 429 / H 155 mm

- Recommended accompanying products: LF-16-13, LF-12-13, LF-7R-13

Includes a water stopper (A-017V) and P trap (A-675PV)



L-298V (EC/FC)

L-298VC (PEDESTAL)

W 615 / D 453 / H 175 mm

- Recommended accompanying products: LFV-12A, LFV-2012S, LFV-1001S



L-298V (EC/FC)

L-298VD (PEDESTAL)

W 615 / D 453 / H 175 mm

- Recommended accompanying products: LFV-12A, LFV-2012S, LFV-1001S



L-297V (EC/FC)

L-297VC (PEDESTAL)

W 620 / D 420 / H 179 mm

- Recommended accompanying products: LFV-21S, LFV-102S, LFV-1201S-1



L-288V (EC/FC)

L-288VC (PEDESTAL)

W 563 / D 460 / H 196 mm

- Recommended accompanying products: LFV-3002S, LFV-1202S-1, LFV-502S

WALL HUNG BASIN



L-288V (EC/FC)

L-288VD (PEDESTAL)

W 563/ D 460 / H 196 mm

• Recommended accompanying products:
LFV-3002S, LFV-1202S-1, LFV-502S



L-285V (EC/FC)

L-288VC (PEDESTAL)

W 497/ D 435 / H 176 mm

• Recommended accompanying products:
LFV-1302S, LFV-2002S, LFV-4000S



L-285V (EC/FC)

L-288VD (PEDESTAL)

W 497/ D 435 / H 176 mm

• Recommended accompanying products:
LFV-12A, LFV-2012S, LFV-1001S



L-282V (EC/FC)

L-282V (EC/FC)

W 400/ D 410 / H 184 mm

• Recommended accompanying products:
LFV-1302S, LFV-17, LFV-12A



L-282V (EC/FC)

L-284VD (PEDESTAL)

W 400/ D 410 / H 184 mm

• Recommended accompanying products:
LFV-1302S, LF-17, LF-12A



L-284V (EC/FC)

L-284VC (PEDESTAL)

W 495/ D 425 / H 194 mm

• Recommended accompanying products:
LFV-3001S, LFV-1201S-1, LFV-21S



L-284V (EC/FC)

L-284VD (PEDESTAL)

W 495/ D 425 / H 194 mm

• Recommended accompanying products:
LFV-3001S, LFV-1201S-1, LFV-21S



L-283V

W 429/ D 390 / H 162 mm


• Recommended accompanying products:
LFV-1302S, LF-17, LF-12A



L-280V

W 400/ D 312 / H 170 mm

• Recommended accompanying products:
LFV-1302S, LFV-2002S, LFV-4000S



SHINING SURFACE
Three standard thickness Cr/Ni coatings plated on pure Japanese-standard copper ensure a shiny basin surface



ECO CARE
The series combines thoughtful designs and features to increase water and energy savings



ACCESSORIES HIGHLY DURABLE
Thermostatic shower core with two ultra-fine ceramic plates works smoothly and ensures high durability



AUTO SHOWER
Enjoy convenience, speed and accuracy from our innovative auto shower technology



HIGHLY DURABLE SHOWER CORE
Solid copper valve core, with minimized Japanese-standard heavy metals for users' health



MASSAGE SHOWER
Shower spray pattern with massage effect for a relaxing shower



ECOFUL SHOWER
ECOFUL SHOWER showerhead infuses water with air, creating a relaxing water massage experience in the shower. In addition, it provides 35% water savings as compared to conventional hand showers



THERMOSTAT
Quick, automatic, and precise stabilizing of shower temperature with a simple operation

INAX SHOWER JAPANESE TECHNOLOGY



ECO CLICK
The handle has 2 levels of water flow adjustment (50% & 100%) for water savings



ECO HANDLE
The middle position of the handle is set to cold water which fits the users' typical habits, and saves warm water and power



AUTOMATED SHOWER
Uses water pressure to generate an electric current to the shower without the need for a power supply, making it environmentally-friendly



PROXIMITY SENSOR
Proximity sensor uses a camera's autofocus technology with 64 detection points for fast and accurate sensing



MASSAGE O₂
The air pushed into the water jet in the hand shower helps create soft water drops which create massage and rejuvenate your skin



BUBBLE MASSAGE
A massage mode using countless air bubbles inside the water jet creates tiny water drops to gently care for sensitive soft skin



360°
Shower spray heads that can be rotated 360°, offering exceptional convenience while delivering strong spray pressure that is gentle enough on the skin

THERMOSTATIC SHOWERS"

SMART SHOWER WITH PRECISE TEMPERATURE ADJUSTMENT

The water temperature can be adjusted accurately with just a simple turn.




Precise adjustment of the desired shower temperature



The Thermostat shower body does not cause burns when the temperature is set to high levels.


LINE SENSOR TECHNOLOGY



Applying the camera's autofocus ability to light-receiving elements allows sensing of reflected light by 64 detection points (compared to conventional auto faucet with only 1 detection point)

The auto "Line Sensor Technology" faucet eliminates sensing error due to:

- Does not detect reflection rays from ceramic objects located far from the 64 detection points
- Identifies strong but narrow-range reflection rays from the surface of the object to distinguish it from the light reflected from the basin.





An array of 64 detection points on the LINE SENSOR faucet

Only 1 detection point on a conventional faucet

AUTOMAGE FAUCET

Uses water pressure to generate an electric current without power supply for operation



INAX AUTO FAUCET WITH WATER-SAVING SPRAYER
The amount of water that comes out in 1 use: 0.6L




ORDINARY SHOWER
The amount of water that comes out in 1 use: 2.9L



Product uses water-saving sprayer

ECOHANDLE TECHNOLOGY ENERGY SAVING

ECOHANDLE is shown on the main face of the faucet for the purpose of saving water and power. The ECOHANDLE lever can be easily used to avoid waste of energy.



Water flows from the middle position of the faucet body

Wide range of hot water setting ranges for easy adjusting of temperature

Hot water is wasted away due to coming out from the middle position of the lever

360° TECHNOLOGY

Shower spray heads that can be rotated 360°, offering exceptional convenience while delivering strong spray pressure that is gentle enough on the skin.

CLICK WATER-SAVING TECHNOLOGY

It helps users to save water, and the lever has 2 levels of water flow adjustment: from 0%-50% and from 50%-100%

ECOFUL SHOWER TECHNOLOGY MASSAGE WATER-SAVING HAND SHOWER

ECOFUL SHOWER showerhead infuses water with air, creating a relaxing water massage experience in the shower. In addition, it provides 35% water savings as compared to conventional hand showers



Dual vortex in the 1/2 spray hole while rotating with the water speed

USING ECOFUL SHOWER

Water savings **35%**

Ecoful Shower
Optimal flow of 6.5L/min
CONSUMPTION
37,780L/year

USING CONVENTIONAL

SHOWER
Optimal flow of 10L/min
CONSUMPTION
58,130L/year

HIGH PRESSURE HAND SHOWER

Aqua POWER™

POWER WITH EXCITEMENT



POWERFUL

Creates water pressure **up to 5 times more powerful** than conventional hand showers

(Tested under controlled conditions by LIXIL Vietnam CO.)



RELAXING

Water temperature is maintained stable for excellent shower experience



CLEANSING

Easy to clean by just opening the head cover via included tools

 **GOOD DESIGN AWARD 2019**

TOUCHLESS FAUCET



● AMV-90K



- A power supply is not needed, because a current is generated by water flow inside the faucet
- Water pressure: 0.06 ~ 0.6 Mpa (0.6~6.1kgf/cm²)



● AMV-90



- A power supply is not needed, because a current is generated by water flow inside the faucet
- Water pressure: 0.06 ~ 0.6 Mpa (0.6~6.1kgf/cm²)



● AMV-50B



- The 64 detection point sensor creates a stronger sensing area for recognition from a farther and wider distance, and for quicker water supply
- Using 4xAA batteries

* Price includes accompanying accessories

● AMV-90K(220V)



- Using power supply: AC 220-50/60H
- Water pressure: 0.06 ~ 0.6 Mpa (0.6~6.1kgf/cm²)

● AMV-90(220V)



- Using power supply: AC 220V - 50/60H
- Water pressure: 0.06 ~ 0.6 Mpa (0.6~6.1kgf/cm²)

● Lfv-P02B



- Auto sensor faucet



• BFV-515S

• Water pressure 0.1±0.5MPa



• BFV-60S

• Water pressure 0.07±0.75MPa



• BFV-635S

• Water pressure 0.1±0.5MPa




• BFV-50S

• Water pressure 0.07±0.75MPa

• BFV-50S-5C

• Water pressure 0.07±0.75MPa



• BFV-70S

• Water pressure 0.1±0.5MPa

SHOWER SYSTEMS



• BFV-915S



• BFV-41S

• Water pressure 0.1±0.5MPa

• BFV-41S-5C

• Water pressure 0.1±0.5MPa



• BFV-2015S



• BFV-1205S

• Water pressure 0.1±0.5MPa



• BFV-1305S



• BFV-655T



- The easy-to-control buttons delivers precise temperature fast and saves water
- Shower faucet designed with rimmed-edge tray for shower essentials. Includes a back slit to prevent water pooling.
- Large squoval showerhead offers luxurious spray and cascade showers

NEW

THERMOSTATIC SHOWER SYSTEMS



• BFV-6015S



• BFV-3415T-8C



• BFV-3415T-7C



• BFV-3415T



THERMOSTATIC SHOWER SYSTEMS



Hand shower (-3C)
Massage



Ecoful hand
shower (-5C)

• BFV-5103T-3C

• BFV-5103T-5C



Hand shower (-3C)
Massage

• BFV-7145T-3C



Hand shower (-3C)
Massage

• BFV-3413T-3C

• Water pressure 0.1±0.5MPa



Hand shower (-4C)

• BFV-3413T-4C

• Water pressure 0.1±0.5MPa



Hand shower (-8C)

• BFV-3413T-8C

• Water pressure 0.1±0.5MPa



Hand shower (-7C)

• BFV-3413T-7C

• Water pressure 0.1±0.5MPa



GOOD DESIGN AWARD 2019
GOLD AWARD



NEW

BF-SC8

- Plastic hand shower with Ni-Cr coating



NEW

BF-SC7

- Natural colored plastic hand shower (white - grey)

CONCEALED SHOWER SYSTEMS



BFV-81SEC



BFV-81SEHC



BFV-81SEHW



BFV-81SEW



BFV-71SEW



BFV-71SEC



BFV-28S

The faucet is designed as a tray on which you can place an aromatic candle or a bottle of bath salts, inviting you to spend a nice, long, relaxing time in the bathtub. The hand shower provides large droplets that contain air, ensuring a comfortable showering experience while conserving water.



● BFV-656S

- A simple but sophisticated design that makes the bathroom feel luxurious
- Top of faucet can be used as a tray for bath essentials
- Water saving hand shower



• Water pressure 0.1+0.5MPa

BATHTUB SHOWER



● BFV-8100B



● BFV-5013S



● BFV-7000B



SERIES 4000



LFV-4001S

SERIES 210



LFV-211S

SERIES 110



LFV-111S

SERIES 3000



LFV-3001S



LFV-4000S



LFV-212S



LFV-112SH



LFV-112S



LFV-3002S



Ecoful hand shower (-5C)

BFV-4000S

BFV-4000S-5C



Hand shower (-1C)

BFV-213S-1C

BFV-213S-3C

Hand shower (-3C)
Massage



Massage hand shower

Champaign
Massage

BFV-113S



Hand shower (-1C)

BFV-3003S-1C

BFV-3003S-3C

Hand shower (-3C)
Massage

SERIES 220



● LFBV-221S

SERIES 1000



● LFBV-1001S

SERIES 1200



● LFBV-1201S-1

SERIES 1400



● LFBV-1401S



● LFBV-222S



● LFBV-1002S



● LFBV-1202S-1



● LFBV-1402SH



● LFBV-1402S



● LFBV-223S



● LFBV-1003S

● LFBV-1003S-1C

● LFBV-1003S-2C



● LFBV-1203S


● LFBV-1203S-4C




● LFBV-1403S-4C

● LFBV-1403S-8C

● LFBV-1403S-7C



A lever with a concave design, and a hidden nozzle for easy disassembling, installing and cleansing



The aeration technology of the nozzle helps create a soft water jet, and avoid splashing



15° spray angle for added convenience

SERIES 1100



- LFV-1101S-1
- LFV-1101SP-1*



- LFV-1102S-1
- LFV-1102SP-1*

SERIES 1110



NEW

- LFV-1111S



NEW

- LFV-1112S



Hand shower (-4C)

- BFV-1103S
- BFV-1103S-4C



Hand shower (-4C)

Hand shower (-7C)

Hand shower (-8C)

NEW

- BFV-1113S-4C
- BFV-1113S-8C
- BFV-1113S-7C

* Combined with an A-325PS exhaust pipe

SERIES 5000



LFV-5002S



SERIES 8000



LFV-8000S

SERIES 500



LFV-502S

SERIES 2010



LFV-2012S



LFV-5000SH



LFV-8000SH2



LFV-502SH



LFV-2012SH



BFV-5003S

BFV-5003S-5C



Massage hand shower



Ecoful hand shower (-5C)



BFV-8000S

BFV-8000S-1C



Hand shower (-1C)



Ecoful hand shower (-5C)



BFV-503S



Massage hand shower



BFV-2013S



Hand shower (-3C) Massage

FAUCET SERIES

SERIES 6000



LFV-6002S



BFV-6003S

SERIES 310



LFV-312S



BFV-313S

BFV-313S-5C



Massage hand shower (-3C)



Ecoful hand shower (-5C)

SERIES 4100



LFV-4102S



BFV-4103S

BFV-4103S-5C



Massage hand shower



Ecoful hand shower (-5C)

SERIES 2000



LFV-2002S



BFV-2003S

SERIES 400



LFV-402S



BFV-403S

SERIES 1300



LFV-1302S

LFV-1302SP*



BFV-1303S

BFV-1303S-4C

Hand shower (-4C)

* Combined with an A-325PS exhaust pipe



SERIES 7100



● LFV-7102S

● LFV-7100SH

SERIES 5010



● LFV-5012S

● LFV-5012SH

SERIES 6010



● LFV-6012S

● LFV-6012SH

SERIES S600



● LFV-652S

● LFV-652SH

3-HOLE FAUCET



● Lfv-5010s



● Lfv-7100b

COLD FAUCET MOUNTED WITH BASIN



● Lf-14-13



● Lfv-20s

● Lfv-20sp*



● Lfv-8100b



● Lfv-7000b



● Lfv-21s



● Lf-1



● Lfv-13b

● Lfv-21sp*

● Lf-1p*

● Lfv-13bp*

SINGLE-MIXER FAUCET



● Lfv-5102s



● Lfv-632s



● Lfv-12a



● Lfv-11a



● Lfv-17

● Lfv-12ap*

● Lfv-11ap*

● Lfv-17p*

(†) The product does not include the exhaust pipe

* Combined with an A-325PS exhaust pipe

WALL MOUNTED COLD FAUCET



● LF-15G-13(JW)



● LF-16-13



● LF-12-13



● LF-7R-13

COLD SHOWER



● BFV-10

● BFV-10-1C

● BFV-10-2C



● BFV-17-4C

● BFV-17-7C

● BFV-17-8C

KITCHEN MIXERS



● JF-AB466SYX(JW)



ALL IN ONE kitchen faucet

- Pull-out
- Includes 1 water filter



● SFV-1013SX

All in one kitchen faucet

- Pull-out
- Water pressure 0.07±0.75MPa



● SFV-801S



● SFV-802S



● SFV-2011S

• Water pressure 0.07±0.75MPa



● SFV-112S



● SFV-212S



● SFV-302S

KITCHEN FAUCET
JAPANESE TECHNOLOGY



KITCHEN FAUCET (COLD WATER)



● SFV-31



● SFV-30



● SFV-29



● SFV-21



● SFV-17

NOZZLE



● CFV-105MP

• Copper valve core with 5-layer PVC (Metallic) pipe



● CFV-105MM

• Copper valve core with Cr-Ni-coated copper pipe



● CFV-102M

• Copper valve core, Cr-Ni coating



● CFV-102A

• Copper valve core

ACCESSORIES FOR BASIN AND TOILET



P TRAP

LF-105PAL

W 396 mm



P TRAP

A-674P

W 396 mm



TOILET TRAP

A-603PV

W 320 mm



TOILET TRAP

A-676PV

W 350 mm



P TRAP

A-675PV

W 285 mm

BASIN TRAP
WITH WATER STOPPER

A-016V



BASIN TRAP & P TRAP KIT

A-325PS



P TRAP

A-325PL



SUPPLY LINE

A-701-8

W 400 mm



SUPPLY LINE

A-701-9

W 600 mm



T LOCK-UP VALVE

A-703-7



LOCK-UP VALVE

A-703-4

HOW TO RECOGNIZE GENUINE INAX PRODUCTS

The INAX anti-counterfeiting stamp has a shiny blue colored strip like that of the logo, with silver scratch-off foil. The stamp is applicable for a one-time use only as once the stamp is peeled off, it cannot be reused.

01

"NAKED-EYE" RECOGNITION

Clear INAX logo on the stamp. Sharp text which is not blurred. Consistent blue background with the logo's blue color.



02

WATER TECHNOLOGY


There is a phone icon on the stamp. It immediately disappears after contact with water, and returns to its original state after drying.



03

UV TECHNOLOGY

When the stamp is under a UV light, the outlined-area containing the text "Text INAX [product code] to 8077" changes from light blue to red.



04

TEXT MESSAGE

After scratching off the silver foil, a code will appear. Text that code to 8077, the confirmation message will show that the product is a genuine product of LIXIL CO. Text fee: 1,000 VND/message.



Each code is validated only once, so it is advisable to only validate after complete confirmation of the transaction.



INAX BATHTUB
JAPANESE TECHNOLOGY



AIR MASSAGE

The air pushed into the water creates a moving water flow to massage the whole body for energy recovery and body relaxation.



BUBBLE MASSAGE

Air bubbles pushed up from the bottom provide a gentle massage of the skin and keep a thick and smooth soap foam layer on the surface of the water, creating a comfortable experience and preventing temperature loss.



BRILLIANT SURFACE

The bathtub has a brilliant and shining anti-slip surface. Two layers are added for more strength, which helps to avoid cracks and maintain a warm water temperature for increased comfort and energy savings.

FREESTANDING BATHTUB

- Maintains color over time
- Has an anti-stain and easy-to-clean surface
- Renewable materials

NEW

BF-1760V

- Simple design with a sophisticated seamless curve brings a luxurious presence
- Organic and comfortable curve inside and outside the bathtub
- Anti-slip bottom surface

W 1700 / D 900 / H 550 mm



NEW

BF-1858V

- Acrylic bathtub with an oblong shape suitable for many types of spaces
- Wide space for relaxing feeling

W 1800 / D 900 / H 560 mm



NEW

BF-1757V

- Acrylic bathtub with an oblong shape suitable for many types of spaces
- Anti-slip and easy-to-clean bottom

W 1750 / D 800 / H 560 mm



FREESTANDING BATHTUB

NEW

BF-1656V



- Acrylic bathtub with an oblong shape suitable for many types of spaces
- Anti-slip and easy-to-clean bottom

W 1600 / D 800 / H 560 mm

ALCOVE BATHTUB



FBV-1502SL | FBV-1502SR

W 1500 / D 750 / H 550 mm

FBV-1702SL | FBV-1702SR

W 1700 / D 750 / H 550 mm

- Installation of the alcove bathtub is convenient without the need for tiles, saving space

NOTES:

- The bathtub will be broken if put in concrete.
- There should be a gap between the wall and the bathtub.
- Please set up and use the product according to the included instructions.

- Capacity 130L, 170L
- SL: Left alcove bathtub
- SR: Right alcove bathtub

MASSAGE BATHTUB - JACUZZI

MSBV-1700B



W 1695 / D 980 / H 460 mm



MSBV-1800N



W 1810 / D 1070 / H 460 mm

GALAXY BATHTUB

MBV-1700

W 1700 / D 750 / H 503 mm

MBV-1500

W 1500 / D 750 / H 550 mm



OCEAN BATHTUB

FBV-1700R

W 1700 / D 750 / H 398 mm

FBV-1500R

W 1500 / D 750 / H 398 mm

PUBLIC TOILETS



URINAL



AFU-600VAC

AFU-600VDC



- AQUA CERAMIC to prevent stains and dirt buildup
- AFU-600VAC : Sensor urinal with an AC-220V, 50~60Hz current
- AFU-600VDC: Sensor urinal powered by 4 AAx1.5V batteries

W 370/ D 420 / H 1140 mm



ASU-500V



- AQUA CERAMIC to prevent stains and dirt buildup
- Wall-hung sensor urinal
- Powered by 4 AAx1.5V batteries

W 372/ D 420 / H 995 mm



U-417V

AU-417V



- AQUA CERAMIC to prevent stains and dirt buildup

W 345/ D 383 / H 866 mm



U-411V

AU-411V



- AQUA CERAMIC to prevent stains and dirt buildup

W 410/ D 360 / H 800 mm

URINAL



U-431VR

U-431VAC

AU-431VR

AU-431VAC



• AQUA CERAMIC to prevent stains and dirt buildup
W 330 / D 330 / H 640 mm



U-440V

W 318 / D 290 / H 500 mm



U-116V

W 280 / D 285 / H 375 mm



U-117V

W 269 / D 285 / H 531 mm



PRIVACY BARRIER

P-1

W 105 / D 340 / H 760 mm



AUTO DRAIN VALVE

OK-100SET(A)

OK-100SET(B)



AUTO DRAIN VALVE

OKUV-120S(A)

OKUV-120S(B)



AUTO DRAIN VALVE

OKUV-32SM



PRESS DRAIN VALVE

UF-3VS

UF-4VS



PRESS DRAIN VALVE

UF-7V



PRESS DRAIN VALVE

UF-8V



GASKET

UF-13AWP(VU)

UF-104BWP(VU)



ELBOW FOR
SUPPLY PIPE INTO THE
URINAL

UF-105

URINAL ACCESSORIES

PRODUCTS FOR PUBLIC TOILETS



MEETS STANDARDS



NSF/ANSI 169

NEW

HAND DRYER
(JET TOWEL - FAST DRYING)

JT-2162

- Imported from Japan
 - User-friendly design, fast drying, high durability
- W 300/ D 219 / H 670 mm

* Please contact before ordering



HAND DRYER
(JET TOWEL - FAST DRYING)

JT-1000

W 300/ D 170 / H 520 mm



HAND DRYER
KS-370

W 310/ D 182 / H 255 mm



TISSUE BOX
KF-44V

W 300/ D 140 / H 700 mm



TOILET PAPER HOLDER
KF-12J

W 280/ D 120 / H 280 mm



TOILET PAPER HOLDER
CFV-11W

W 300/ D 100 / H 100 mm



SOAP DISPENSER
KF-24FL

268 x 225 mm



SOAP DISPENSER
KFV-25AY

130 x 190 mm



SOAP DISPENSER
KVV-24AY

134 x 100 x 168 mm

ACCESSORIES



FLOOR DRAIN

PBFV-600

126 x 600 mm



FLOOR DRAIN

PBFV-120

120 x 120 mm



FLOOR DRAIN

PBFV-110

110 x 110 mm

MC SERIES PREMIUM BATHROOM ACCESSORY KIT



GLASS SHELF

KF-842V

500 x 124 x 54 mm



SOAP DISH

KF-844V

168 x 109 x 40 mm



CUP HOLDER

KF-843V

160 x 100 x 95 mm



TOWEL RACK

KF-845VA

580 x 218 x 103 mm



TOWEL RACK

KF-845VB

580 x 218 x 50 mm



TOWEL RACK

KF-845VW

600 x 115 x 40 mm



TISSUE HOLDER

KF-846V

147 x 145 x 145 mm




ROBE HOOK

KF-841V

22 x 50 x 53 mm

MD SERIES PREMIUM BATHROOM ACCESSORY KIT



GLASS SHELF
KF-742V

500 x 124 x 38 mm




SOAP DISH
KF-744V

186 x 107 x 44 mm



CUP HOLDER
KF-743V

177 x 98 x 95 mm



TOWEL RACK
KF-745VA

600 x 230 x 121 mm



TOWEL RACK
KF-745VB

600 x 230 x 40 mm



TOWEL RACK
KF-745VW

600 x 119 x 40 mm



TISSUE HOLDER
KF-746V

116 x 76 x 167 mm



ROBE HOOK
KF-741V

32 x 60 x 32 mm

MS SERIES PREMIUM BATHROOM ACCESSORY KIT



TOWEL RACK
KF-645VA

580 x 218 x 110 mm



TOWEL RACK
KF-645VB

580 x 218 x 17 mm



TOWEL RACK
KF-645VW

660 x 110 x 14 mm



TISSUE HOLDER
KF-646V

146 x 65 x 100 mm



ROBE HOOK
KF-641V

38 x 38 x 33 mm

MR SERIES PREMIUM BATHROOM ACCESSORY KIT



GLASS SHELF
KF-542V

500 x 125 x 22 mm



SOAP DISH
KF-544V

150 x 120 x 60 mm



CUP HOLDER
KF-543V

175 x 67 x 95 mm

MS SERIES PREMIUM BATHROOM ACCESSORY KIT



GLASS SHELF
KF-642V

588 x 125 x 24 mm



SOAP DISH
KF-644V

177 x 122 x 38 mm



CUP HOLDER
KF-643V

208 x 218 x 95 mm



TOWEL RACK
KF-545VA

588 x 225 x 120 mm



TOWEL RACK
KF-545VB

588 x 225 x 120 mm



TOWEL RACK
KF-545VW

660 x 110 x 22 mm



TISSUE HOLDER

KF-546V

145 x 120 x 155 mm



ROBE HOOK

KF-541V

22 x 50 x 40 mm

ME SERIES PREMIUM BATHROOM ACCESSORY KIT



GLASS SHELF

KF-412V

510 x 54 x 154 mm



SOAP DISH

KF-414V

134 x 55 x 144 mm



CUP HOLDER

KF-413V

187 x 96 x 87 mm



TOWEL RACK

KF-415VA

604 x 113 x 222 mm



TOWEL RACK

KF-415VB

604 x 54 x 222 mm



TOWEL RACK

KF-415VW

664 x 54 x 128 mm



TISSUE HOLDER

KF-416V

132 x 147 x 89 mm



TOWEL RING

KF-417V

180 x 202 x 76 mm



ROBE HOOK

KF-411V

82 x 54 x 65 mm

H-AC480V6 6-ITEM ACCESSORY KIT



ACCESSORY KIT

H-AC480V6



SOAP DISH

H-484V

142 x 95 x 47 mm



GLASS SHELF

H-482V

500 x 140 x 61 mm



CUP HOLDER

H-483V

142 x 95 x 47 mm



TOWEL RACK

H-485V

654 x 80 x 74 mm



ROBE HOOK

H-481V

107 x 91 x 64 mm



TISSUE BOX

H-486V

192 x 127 x 100 mm

H-AC400V6 6-ITEM ACCESSORY KIT



ACCESSORY KIT

H-AC400V6



SOAP DISH

H-444V

130 x 103 x 47 mm



GLASS SHELF

H-442V

500 x 130 x 40 mm



CUP HOLDER

H-443V

120 x 110 x 47 mm



TOWEL RACK

H-445V

625 x 80 x 50 mm



ROBE HOOK

H-441V

45 x 52 x 80 mm




TISSUE BOX

CF-22H

169 x 128 x 112 mm

INAX MIRROR - ANTI-STAIN SILVER MIRROR GENERATION



SILVER MIRROR

KF-6090VA

610 x 910 x 5 mm



SILVER MIRROR

KF-6075VAR

610 x 760 x 5 mm



SILVER MIRROR

KF-5070VAC

500 x 700 x 5 mm



SILVER MIRROR

KF-5075VA

510 x 760 x 5 mm



SILVER MIRROR

KF-4560VA

460 x 610 x 5 mm

REFERENCES

TABLE FOR COMBINATION OF INAX FAUCETS AND BASINS

BASIN	FAUCET	P TRAP	LOCK-UP VALVE	Qty	WATER FEED PIPE	Qty	BASIN	FAUCET	P TRAP	LOCK-UP VALVE	Qty	WATER FEED PIPE	Qty	PEDESTAL		
L-280V L-283V	LFV-13B LFV-12A LFV-20S LFV-21S	A-675PV + A-016V	A-703-4	1	A-701-7	1	L-282VFC L-284VFC	LFV-13B LFV-12A LFV-20S LFV-21S	A-675PV + A-016V	A-703-4	1	A-701-7	1	L-284VC L-284VD (Note 3)		
	LFV-7102S LFV-6002S LFV-5002S LFV-4102S LFV-5102S LFV-212S LFV-102S LFV-202S LFV-4000S LFV-8000S LFV-1102S-1 LFV-1002S LFV-3002S LFV-1202S-1 LFV-1302S LFV-312S LFV-5012S LFV-6012S LFV-502S LFV-2002S LFV-2012S LFV-112S LFV-222S LFV-1402S LFV-1112S	A-675PV A-676PV A-603PV	A-703-4	2	Note (1)	-		LFV-7102S LFV-6002S LFV-5002S LFV-4102S LFV-5102S LFV-212S LFV-102S LFV-202S LFV-4000S LFV-8000S LFV-1102S-1 LFV-1002S LFV-3002S LFV-1202S-1 LFV-1302S LFV-312S LFV-5012S LFV-6012S LFV-502S LFV-2002S LFV-2012S LFV-112S LFV-222S LFV-1402S LFV-1112S	A-675PV A-676PV A-603PV	A-703-4	2	Note (1)	-			
	LFV-652S	A-674P A-603PV						L-282VFC	LFV-652S	A-674P A-603PV						
	LFV-652S	A-674P A-603PV						L-284VFC	LFV-652S	A-674P A-603PV						
AL-S610V AL-S620V	LFV-8000SH2 LFV-7100SH LFV-5000SH LFV-112SH LFV-5012SH LFV-502SH LFV-6012SH LFV-2012SH	A-603PV A-676PV A-674PV	A-703-4	2	Note (1)	-	AL-S630VFC AL-S640VFC	LFV-5102S LFV-4000S LFV-212S LFV-3002S LFV-1002S LFV-1102S-1 LFV-1202S-1 LFV-5002S LFV-502S LFV-2012S LFV-5012S LFV-6012S LFV-7102S LFV-312S LFV-2002S LFV-1302S	A-674PV A-675PV A-676PV A-603PV	A-703-4	2	Note (1)	-			
AL-S630VFC AL-S640VFC	LFV-5010S LFV-7000B	A-674PV A-675PV A-676PV A-603PV	A-703-4	2	A-701-7	2		LFV-5010S LFV-7000B	A-674PV A-675PV A-676PV A-603PV	A-703-4	2	A-701-7	2			
AL-652VFC	LFV-P02B LFV-P20S LFV-P21S	A-674PV A-675PV A-603PV +A016	A-703-4	1	A-701-7	1	AL-632VFC	LFV-5102S LFV-4000S LFV-222S LFV-112S LFV-212S LFV-3002S LFV-1002S LFV-1202S-1 LFV-5002S LFV-1102S-1 LFV-8000S LFV-502S LFV-2012S LFV-5012S LFV-6012S LFV-7102S LFV-6002S LFV-312S LFV-2002S LFV-1302S LFV-1112S LFV-652S	A-674PV A-676PV A-603PV	A-703-4	2	Note (1)	-			
	LFV-5102S LFV-4000S LFV-222S LFV-112S LFV-212S LFV-3002S LFV-1002S LFV-1202S-1 LFV-5002S LFV-1102S-1 LFV-8000S LFV-502S LFV-2012S LFV-5012S LFV-6012S LFV-7102S LFV-6002S LFV-312S LFV-2002S LFV-1302S LFV-1112S	A-674PV A-676PV A-603PV	A-703-4	2	Note (1)	-		LFV-P02B LFV-20S LFV-21S	A-675PV +A016V	A-703-4	2	A-701-7	1			
	LFV-5102S LFV-20S LFV-21S	A-675PV +A016	A-703-4	1	A-701-7	1		LFV-5102S LFV-4000S LFV-222S LFV-112S LFV-212S LFV-3002S LFV-1002S LFV-1202S-1 LFV-5002S LFV-1102S-1 LFV-8000S LFV-502S LFV-2012S LFV-5012S LFV-6012S LFV-7102S LFV-6002S LFV-312S LFV-2002S LFV-1302S LFV-652S LFV-1112S	A-674PV A-675PV A-676PV A-603PV	A-703-4	2	Note (1)	-			
	LFV-20S LFV-21S	A-675PV +A016	A-703-4	1	A-701-7	1		LFV-P02B LFV-20S LFV-21S	A-675PV +A016	A-703-4	1	A-701-7	1			

Note (1): Included in the faucet

Note (2): Included in the AMV-90, AMV-90(220V), AMV-90K, and AMV-90K(220V)

Note (3): L-282V basin can only be fitted with the L-284VD pedestal

(*) LF-105PAL is used in public toilets, so there is no water retention function

(**) If a customer chooses L-2397V, AL-2395V, or AL-2094V basins combined with LFV-8100B, LFV-7100B, or LFV-7000B faucets, it is necessary to order them 2 weeks in advance

TABLE FOR COMBINATION OF INAX FAUCETS AND BASINS

BASIN	FAUCET	P TRAP	LOCK-UP VALVE	Qty	WATER FEED PIPE	Qty	PEDESTAL
L-297VFC	LFV-13B LFV-12A LFV-20S LFV-21S	A-675PV +A-016V	A-703-4	1	A-701-7	1	L-297VC
	LFV-7102S LFV-6002S LFV-5002S LFV-4102S LFV-5102S LFV-212S LFV-102S LFV-202S LFV-4000S LFV-8000S LFV-1102S-1 LFV-1402S LFV-1002S LFV-3002S LFV-1202S-1 LFV-1302S LFV-312S LFV-5012S LFV-6012S LFV-502S LFV-2002S LFV-2012S LFV-112S LFV-222S LFV-1122S	A-675PV A-676PV A-603PV	A-703-4	2	Note (1)	-	
L-297VEC	LFV-211S LFV-101S LFV-201S LFV-4001S LFV-1101S-1 LFV-1401S LFV-1001S LFV-3001S LFV-1201S-1 LFV-111S LFV-221S LFV-1111S	A-675PV A-676PV A-603PV	A-703-4	2	A-701-7	2	
	LFV-13B LFV-12A LFV-20S LFV-21S	A-675PV +A-016V	A-703-4	1	A-701-7	1	
L-298VFC	LFV-7102S LFV-6002S LFV-5002S LFV-4102S LFV-5102S LFV-212S LFV-102S LFV-202S LFV-4000S LFV-8000S LFV-1102S-1 LFV-1002S LFV-3002S LFV-1302S LFV-312S LFV-5012S LFV-6012S LFV-502S LFV-2002S LFV-2012S LFV-1122S	A-675PV A-676PV A-603PV	A-703-4	2	Note (1)	-	L-298VC L-298VD
	LFV-652S	A-676P, A-603PV					
L-298VEC	LFV-211S LFV-101S LFV-201S LFV-4001S LFV-1101S-1 LFV-1001S LFV-3001S LFV-1111S	A-675PV A-676PV A-603PV	A-703-4	2	A-701-7	2	
	LFV-13B LFV-12A LFV-20S LFV-21S	A-675PV +A-016V	A-703-4	1	A-701-7	1	
L-445V L-465V L-300V	LFV-8000SH2 LFV-7100SH LFV-5000SH LFV-1402SH LFV-112SH LFV-5012SH LFV-502SH LFV-6012SH LFV-2012SH	A-674P A-676PV	A-703-4	2	Note (1)	-	
	LFV-652SH	A-676P, A-603PV					
L-445V L-465V L-300V	LFV-652SH	A-676P, A-603PV					

Note (1): Included in the faucet

Note (2): Included in the AMV-90, AMV-90(220V), AMV-90K, and AMV-90K(220V)

Note (3): L-282V basin can only be fitted with the L-284VD pedestal

(*) LF-105PAL is used in public toilets, so there is no water retention function

(**) If a customer chooses L-2397V, AL-2395V, or AL-2094V basins combined with LFV-8100B, LFV-7100B, or LFV-7000B faucets, it is necessary to order them 2 weeks in advance

REFERENCES

TABLE FOR COMBINATION OF SHOWERS AND BATHTUBS

BATHTUB	CONVENTIONAL SHOWER	BATHTUB	CONVENTIONAL SHOWER
BF-1760V	BFV-3003V	BF-1656V	BFV-3003V
	BFV-503S		BFV-503S
	BFV-213S		BFV-213S
	BFV-8000S		BFV-8000S
	BFV-1403S		BFV-1403S
	BFV-2003S		BFV-2003S
	BFV-403S		BFV-223S
	BFV-113S		BFV-5003S
	BFV-223S		BFV-1003S
	BFV-5003S		BFV-4103S
BF-1858V	BFV-1003S	BF-1656V	BFV-1113S
BF-1757V	BFV-4103S		BFV-3413T
	BFV-1113S		BFV-1203S
	BFV-3413T		BFV-2013S
	BFV-1203S		BFV-5103T
	BFV-2013S		BFV-7145T-3C
	BFV-5103T		
	BFV-7145T-3C		

* Combination criteria:

When opening and closing the shower, water is not splashed on the tub wall and out to the bathroom floor.

TABLE FOR COMBINATION OF URINALS AND DRAIN VALVES

URINAL	SENSOR VALVE	PUSH VALVE	QTY	FEED PIPE	QTY	SPUD	QTY	GASKET	QTY
U-417V	OKUV-32SM	-	1	Note (3)	-	Note (3)	-	Note (3)	-
	OK-100SET(A)	-	1	Note (3)	-	Note (3)	-	Note (3)	-
AU-417V		UF-3VS	1	Note (3)	-	Note (3)	-	Note (3)	-
		UF-7V	1	Note (3)	-	Note (3)	-	Note (3)	-
U-411V	OKUV-32SM	-	1	Note (1)	-	Note (1)	-	Note (3)	-
	OK-100SET(A)	-	1	Note (4)	-	Note (4)	-	Note (3)	-
	OKUV-120S(A)	-	1	Note (5)	-	Note (5)	-	Note (3)	-
AU-411V		UF-3VS	1	Note (1)	-	Note (1)	-	Note (3)	-
		UF-7V	1	Note (1)	-	Note (1)	-	Note (3)	-
U-431VR	OKUV-32SM	-	1	Note (1)	-	Note (1)	-	Note (3)	-
	OK-100SET(A)	-	1	Note (4)	-	Note (4)	-	Note (3)	-
AU-431VR			1	Note (5)	-	Note (5)	-	Note (3)	-
		UF-3VS	1	Note (1)	-	Note (1)	-	Note (3)	-
U-440V		UF-7V	1	Note (1)	-	Note (1)	-	Note (3)	-
			1	Note (1)	-	Note (1)	-	Note (3)	-
AU-431VAC U-431VAC	OKUV-32SM	-	1	Note (1)	-	Note (1)	-	Note (3)	-
	OKUV-120S(B)	-	1	Note (5)	-	Note (5)	-	Note (3)	-
U-117V		UF-4VS	1	Note (1)	-	Note (1)	-	Note (3)	-
		UF-8V	1	Note (1)	-	Note (1)	-	Note (3)	-
U-116V		UF-4VS	1	Note (1)	-	Note (1)	-	Note (2)	-
		UF-8V	1	Note (1)	-	Note (1)	-	Note (2)	-

Note (1): Included in OKUV-32SM, UF-3VS, UF-4VS, UF-7V, and UF-8V

Note (2): U-116V does not use a gasket. Trap is not included.



Note (3): Included in urinal

Note (4): Includes OK-100SET



Note (5): Included in OKUV-120S(A/B)

TECHNICAL DRAWINGS



CW-KA22AVN





CW-S15VN





CW-KB22AVN





AC-G216VN/BW1 | AC-G216VN/BKG





CW-H18VN





AC-618VN





CW-H17VN





AC-4005VN



CW-S32VN




AC-2700VN




TECHNICAL DRAWINGS


AC-1052VN




AC-1135VN




AC-1035VN




AC-1032VN




AC-1008VRN




AC-1017VRN




AC-909VRN | AC-909VRN-1




AC-918VRN | AC-918VRN-1



AC-900VRN




AC-991VRN




TECHNICAL DRAWINGS


AC-939VN




AC-959VAN




AC-969VN




AC-832VN




AC-808VN




AC-838VN




AC-700VAN




AC-710VAN



AC-504VAN | C-504VAN | AC-504VWN | C-504VWN




C-306VAN | C-306VA




TECHNICAL DRAWINGS


C-306VPTN | C-306VPT




C-108VAN | C-108VA




C-117VAN | C-117VA




AC-952VN




AC-22PVN




AC-23PVN




CB1206-5QF-B | CB1206-4IF-B




CB0504-5QF-B | CB0504-4IF-B



AL-S640V (GC/FC)




AL-S630V (GC/FC)




TECHNICAL DRAWINGS


AL-S620V




AL-S610V




AL-652V (GC/EC/FC)




AL-632V (GC/EC/FC)




AL-300V | L-300V




AL-465V | L-465V




AL-445V | L-445V




AL-536V (GC/EC/FC)



AL-293V (EC/FC) | L-293V (EC/FC)




AL-296V (EC/FC) | L-296V (EC/FC)




TECHNICAL DRAWINGS


AL-294V (EC/FC) | L-294V (EC/FC)




AL-2395V (EC/FC) | L-2395V (EC/FC)




AL-292V (EC/FC) | L-292V (EC/FC)




AL-2094V (EC/FC)




AL-333V | L-333V




AL-2298V | L-2298V




AL-2397V (EC/FC) | L-2397V (EC/FC)




AL-2216V | L-2216V




AL-2398V (EC/FC) | L-2398V (EC/FC)




AL-2293V | L-2293V




S-17V




L-288V (EC/FC) | L-288VD




L-298V (EC/FC) | L-298VC




L-285V (EC/FC) | L-288VC




L-298V (EC/FC) | L-298VD




L-285V (EC/FC) | L-288VD




L-297V (EC/FC) | L-297VC




L-284V (EC/FC) | L-284VC



L-288V (EC/FC) | L-288VC




L-284VC (EC/FC) | L-284VD





TECHNICAL DRAWINGS


L-282V (EC/FC)




LFV-P02B




L-283V




BFV-515S




L-280V




BFV-60S





AMV-90K | AMV-90 | AMV-90K(220V) | AMV-90(220V)




BFV-50S | BFV-50S-5C




AMV-50B




BFV-70S




BFV-915S




BFV-41S | BFV-41S-5C




BFV-2015S




BFV-1205S




BFV-1305S




BFV-6015S




BFV-3415T | BFV-3415T-7C | BFV-3415T-8C






BFV-5103T-3C | BFV-5103T-5C



BFV-7145T-3C




BFV-3413T-3C | BFV-3413T-4C | BFV-3413T-7C | BFV-3413T-8C




TECHNICAL DRAWINGS


BFV-7000B





LFV-4001S




LFV-4000S





BFV-4000S | LFV-4000S-5C




LFV-211S




LFV-212S




BFV-213S-1C | BFV-213S-3C




LFV-111S




LFV-112S





LFV-112SH





BFV-113S




LFV-3001S





LFV-3002S





BFV-3003S-1C | BFV-3003S-3C





LFV-221S





LFV-222S




BFV-223S




LFV-1001S



LFV-1002S




BFV-1003S | BFV-1003S-1C | BFV-1003S-2C





TECHNICAL DRAWINGS


LFV-1201S-1




LFV-1202S-1





BFV-1203S | BFV-1203S-4C




LFV-1401S




LFV-1402S




LFV-1402SH





BFV-1403S-4C | BFV-1403S-7C | BFV-1403S-8C




LFV-1101S-1 | LFV-1101SP-1*




LFV-1102S-1 | LFV-1102SP-1*




BFV-1103S | BFV-1103S-4C




LFV-1111S




LFV-1112S




BFV-1113S-4C | BFV-1113S-7C | BFV-1113S-8C




LFV-5002S




LFV-5000SH




BFV-5003S | BFV-5003S-5C




LFV-8000S





LFV-8000SH2



BFV-8000S | BFV-8000S-1C | BFV-8000S-5C




LFV-502S




TECHNICAL DRAWINGS


LFV-502SH




BFV-503S




LFV-2012S




LFV-2012SH




BFV-2013S




LFV-6002S




BFV-6003S




LFV-4102S




BFV-4103S | BFV-4103S-5C




LFV-402S




BFV-403S




LFV-312S




BFV-313S | BFV-313S-5C





LFV-2002S




BFV-2003S




LFV-1302S | LFV-1302SP*




BFV-1303S | BFV-1303S-4C




LFV-7102S




LFV-7100SH




LFV-5012S



LFV-5012SH




LFV-6012S




TECHNICAL DRAWINGS


LFV-6012SH




LFV-652S




LFV-652SH




LFV-5010S




LFV-7100B





LFV-8100B




LFV-7000B




LFV-5102S



LFV-632S | LFV-632S-1(*)




LF-14-13





TECHNICAL DRAWINGS



LFV-20S | LFV-20SP*




LFV-21S | LFV-21SP*





LF-1 | LF-1P*




LFV-13B | LFV-13BP*





LFV-12A | LFV-12AP*




LFV-11A | LFV-11AP*




LFV-17 | LFV-17P*




LF-15G-13(JW)



LF-16-13





LF-12-13





TECHNICAL DRAWINGS



LF-7R-13




BFV-10 | BFV-10-1C | BFV-10-2C




BFV-17-4C | BFV-17-7C | BFV-17-8C




JF-AB466SYX (JW)




SFV-1013SX





SFV-801S




SFV-802S





SFV-112S | SFV-212S




SFV-2011S





SFV-302S




SFV-31




SFV-30





SFV-29




SFV-21




SFV-17




BF-1760V




BF-1858V




BF-1757V



BF-1656V




FBV-1502SL | FBV-1502SR | FBV-1702SL | FBV-1702SR




TECHNICAL DRAWINGS


MSBV-1700B




MSBV-1800N




MBV-1700 | MBV-1500




FBV-1700R | FBV-1500R




AFU-600VAC | AFU-600CDC




ASU-500V




AU-417V | U-417V




AU-411V | U-411V



AU-431VR | U-431VR







AU-431VAC | U-431VAC



TECHNICAL DRAWINGS

U-440V



Product images are for illustrative purposes only and may differ from the actual product. LIXIL Vietnam reserves the right, at its sole discretion, to change prices and product designs without prior notice.

Please read Installation Guide/User's Guide after purchasing.

VISIT US

CAMBODIA HSC Décor Center Co.,Ltd

#18Abc, Russain Blvd, Sangkat Phsar Depo III, Khan Toul Kork, Phnom Penh, Cambodia.
Email: info@hscdecor.com.kh
Tel: +855 23 885 091

MYANMAR LIXIL Myanmar Limited

Rm # 6003, Pyay Garden Office Tower, # 346-354 Pyay Road, Sanchaung Township, Yangon Region 11111, Myanmar
Email: info.mm@lixil.com
Tel: +951 505950(Ext.6003)

Mandalay Showroom

No(351), Corner of 30th St. & 82nd St., Chan Aye Thar Zan Tsp., Mandalay
Tel: +959-266997977

Yangon Showroom

No (56), Kabar Aye Pagoda Road, Bahan Township, Yangon
Tel: +951-544664

Nay Pyi Taw Showroom

No (151/153), Thiri Yadanar Hyper Market, Nay Pyi Taw
Tel: +9567-3420791

Taunggyi Showroom

No(261), Bogyoke Aung San Road, Nyaung Shwe Hawgon, Taunggyi
Tel: +9581-2122857

INAX

PART OF **LIXIL**

INAX.COM
Version 05.2020



www.inax.com



<https://www.facebook.com/>